

NOTICE TO PROCEED

January 03, 2024

Mr. Jomel-rem Aviar
Authorized Representative
Alcaport Trade
34 Buenamar Drive, Novaliches
Quezon City

Dear **Mr. Aviar**:


Please be informed that notice to proceed is hereby given to **Alcaport Trade** with regards to the attached P.O. # 659-2024 for the Procurement of Assorted Laboratory Supplies effective upon receipt of this notice.

Upon receipt of this notice, you are responsible for performing the services under the terms and conditions of the Contract and in accordance with the Implementing Schedule.


Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. Keep one (1) copy and return the other to the Food and Nutrition Research Institute.

Thank you and our best regards.

Very truly yours,


ATTY. LUCIEDEN G. RAZ
Deputy Director/Director III & Officer-in-Charge,
Office of the Director

Conforme:


Signature over Printed Name
Representative of the Winning Bidder
Date of receipt: FEB 4, 2025

PURCHASE ORDER



Republic of the Philippines
Department of Science and Technology
FOOD AND NUTRITION RESEARCH INSTITUTE
General Santos Avenue, Bicutan, Taguig City, Philippines



Management System
ISO 9001:2015
www.fnr.com
ID: 0108034911



Supplier:	ALCAPORT TRADE	PO.No.	659-2024
Address:	34 Buenamar Road, Novaliches, Quezon City	Date	6-Sep-2024
TEL#	7625-6437	Mode of Procurement:	Public Bidding
TIN:	129236481000	PR#	2024-07-428 dtd. 07-30-2024

Gentlemen:

Please furnish this office the following articles subject to the terms and conditions contained herein:

Place of Delivery:	c/o FNRI Property Section	Delivery Term:	60 Calendar Days upon receipt of approved PO
Date of Delivery:	60 Calendar Days upon receipt of approved PO	Payment Term:	30 Days

Stock/Property No.	Unit	Description	Quantity	Unit Cost	Amount
	pcs	Lot 6 STAKPURE, Ion Exchange Cartridge DS 750 Cat. No. 11170500	3	45,396.00	136,188.00
	pcs	STAKPURE, Polyethylene (PE) Ion exchange cylinder with conductivity meter, 100L/hr flowrate cap. Connection: R 3/4" Pure water Quality 0.1-20 S/cm, 750l capacity for 10° total dissolved solids Cat. No. 11175000	2	26,582.00	53,164.00
	pcs	PearlAqua Micro, UVC LED 12C (with flow switch & adaptor cord) Model No. 12C	2	36,430.00	72,860.00
	pc	STAKPURE, UV lamp for Omnia Tap 20 Cat. No. 19200055	1	32,000.00	32,000.00
	pcs	STAKPURE, Filter Cartridges Omnia Tap 20, Ultrapure Cartridge Omnia 055 Cat. No. 192000033	3	42,308.00	126,924.00
	pcs	STAKPURE, R.O. Cartridge Omnia Tap 20 Cat. No. 19200013	3	54,288.00	162,864.00
					584,000.00
		Less 5% VAT		26,071.43	
		1% EWT		5,214.29	31,285.72
		NET			552,714.28

Charged to: DOH - Iodine Status of Filipino Women: Pregnant, Lactating and at Reproductive Age - National Nutrition Survey 2023

End-User: JUNNLIT LORRAINE B. RIVERA

RECEIVED

(Total Amount in Words) Five Hundred Eighty Four Thousand Pesos BY: [Signature]

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth(1/10) of one percent for every day of delay shall be imposed.

Conforme:

Very truly yours,

[Signature]
RIZING M. PERILLA
(Signature over printed name)
FEB 4, 2024
(Date)

[Signature]
ATTY. LUCIEDEN G. RAZ
Deputy Director / Director III
Officer-in-Charge, Office of the Director

Fund Cluster: 07
Funds Available: 584,000.00

ORS/BURS No.: 12-308601-2024-09-858
Date of the ORS/BURS: 9/5/24
Amount: 584,000.00

RESEARCH INSTITUTE
BONJOBIE F. CAJANO CPA, CTT
Accountant III

50203080-W

DEC 23 2024

JAN 02 2025